



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), MAHARASHTRA)

To,

The Director

SURATWWALA BUSINESS GROUP LIMITED

4/38, Sumangal, Sahakar Colony, Erandwane, Karve Road, Behind SBI
Bank, Pune. -411004

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
in respect of project submitted to the SEIAA vide proposal number
SIA/MH/INFRA2/450700/2023 dated 30 Oct 2023. The particulars of the
environmental clearance granted to the project are as below.

- | | |
|---|---|
| 1. EC Identification No. | EC24B038MH134997 |
| 2. File No. | SIA/MH/INFRA2/450700/2023 |
| 3. Project Type | Expansion |
| 4. Category | B |
| 5. Project/Activity including
Schedule No. | 8(a) Building and Construction projects |
| 6. Name of Project | Proposed Expansion of commercial
project "Suratwala Mark Plazzo" at Survey
No. 27/1, 27/5, 28/1(P), 28/B/1, 28/B/2,
28/B/3, 28/B/4, Hinjewadi, Taluka Mulshi
District Pune by M/s. Suratwwala
Business Group Ltd., |
| 7. Name of Company/Organization | SURATWWALA BUSINESS GROUP
LIMITED |
| 8. Location of Project | MAHARASHTRA |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page
no 2 onwards.

Date: 08/02/2024

(e-signed)
Pravin C. Darade , I.A.S.
Member Secretary
SEIAA - (MAHARASHTRA)

*Note: A valid environmental clearance shall be one that has EC identification
number & E-Sign generated from PARIVESH. Please quote identification
number in all future correspondence.*

This is a computer generated cover page.

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/450700/2023
Environment & Climate
Change Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s. Suratwwala Business Group Ltd.,
Survey No. 27/1, 27/5, 28/1(P), 28/B/1,
28/B/2, 28/B/3, 28/B/4, Hinjewadi,
Taluka Mulshi District Pune.

Subject : Environmental Clearance for Proposed Expansion of commercial project "Suratwala Mark Plazzo" at Survey No. 27/1, 27/5, 28/1(P), 28/B/1, 28/B/2, 28/B/3, 28/B/4, Hinjewadi, Taluka Mulshi District Pune by M/s. Suratwwala Business Group Ltd.

Reference : Application no. SIA/MH/INFRA2/450700/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 186th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 274th meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 8th January, 2024.

2. **Brief Information of the project submitted by you is as below:-**

1	Proposal Number	PARIVESH Proposal No.: SIA/MH/INFRA2/450700/2023
2	Name of Project	Proposed expansion of commercial project "Suratwala Mark Plazzo"
3	Project category	B Category, 8(a)
4	Type of Institution	Private
5	Project Proponent	<ul style="list-style-type: none">Name: M/s. Suratwwala Business Group Ltd.,Address: /38, Sumangal, Sahakar Colony, Behind SBI Bank, Karve Road, Erandawane, Pune 411004Phone No: 020 25434392Email ID: manoj@suratwwala.co.in
6	Name of Consultant	<ul style="list-style-type: none">Name: Shrikrishna Environment Consultants Pvt. Ltd.NABET Accreditation No.: NABET/EIA/2124/IA/0089Validity: 04/10/2024
7	Applied for	Expansion
8	Details of Previous EC	Earlier Environment clearance obtained from Environment Dept, Govt of Maharashtra vide EC letter no. SIA/MH/MIS/152537/2020 dated 13/10/2021 for Total built up area: 43,268.30 Sq.M.
9	Location of the project	Survey No. 27/1, 27/5, 28/1(P), 28/B/1, 28/B/2, 28/B/3, 28/B/4, Hinjewadi, Taluka Mulshi, District Pune
10	Latitude and Longitude	18°35'23.94"N, 73°44'53.11"E
11	Total Plot Area	14,325 Sq.M.
12	Deductions	3,358.83 Sq.M.

13	Net Plot Area	10,966.17 Sq.M.																																				
14	Proposed FSI area	64,230.78 Sq.M.																																				
15	Proposed Non FSI area	26,271.39 Sq.M.																																				
16	Proposed Total Built up Area	90,502.17 Sq.M.																																				
17	Total Built up area approved by Planning Authority	In Process																																				
18	Ground Coverage	--																																				
19	Total Project Cost	Rs. 322 Cr.																																				
20	CER as per MoEF & CC circular dated 01/05/2018	CER Shall be Implemented as a part of EMP as recommended by SEAC/SEIAA as mentioned in OM F. No. 22-65/2017-IA.III dated 30 September, 2020 and OM file No. 22-65/2017-IA.III dated 25/02/2021.																																				
21	Details of Building Configuration	<p>Previous Building Configuration:</p> <table border="1"> <thead> <tr> <th>Name of Bldg.</th><th>Building Structure</th><th>Height of Bldg.</th></tr> </thead> <tbody> <tr> <td>Bldg. A</td><td>B+S+MZ+9</td><td>35.85 m</td></tr> <tr> <td>Bldg. B</td><td>B+P+S+MZ+9</td><td>35.85 m</td></tr> <tr> <td>Bldg. C</td><td>B1+IL1+B2+IL2+S+MZ+9</td><td>35.85 m</td></tr> <tr> <td>Bldg. D</td><td>B1+IL1+B2+IL2+S+MZ+9</td><td>35.85 m</td></tr> <tr> <td>Bldg. E</td><td>B1+IL1+B2+IL2+S+MZ+9</td><td>35.85 m</td></tr> </tbody> </table> <p>Proposed Building Configuration:</p> <table border="1"> <thead> <tr> <th>Name of Bldg.</th><th>Building Structure</th><th>Height of Bldg.</th></tr> </thead> <tbody> <tr> <td>Bldg. A</td><td>B+S+MZ+9</td><td>35.85 m</td></tr> <tr> <td>Bldg. B</td><td>B+P+S+MZ+9</td><td>35.85 m</td></tr> <tr> <td>Bldg. C</td><td>B1+IL1+B2+IL2+S+MZ+20</td><td>69.50 m</td></tr> <tr> <td>Bldg. D</td><td>B1+IL1+B2+IL2+S+MZ+20</td><td>69.50 m</td></tr> <tr> <td>Bldg. E</td><td>B1+IL1+B2+IL2+S+MZ+20</td><td>69.50 m</td></tr> </tbody> </table>	Name of Bldg.	Building Structure	Height of Bldg.	Bldg. A	B+S+MZ+9	35.85 m	Bldg. B	B+P+S+MZ+9	35.85 m	Bldg. C	B1+IL1+B2+IL2+S+MZ+9	35.85 m	Bldg. D	B1+IL1+B2+IL2+S+MZ+9	35.85 m	Bldg. E	B1+IL1+B2+IL2+S+MZ+9	35.85 m	Name of Bldg.	Building Structure	Height of Bldg.	Bldg. A	B+S+MZ+9	35.85 m	Bldg. B	B+P+S+MZ+9	35.85 m	Bldg. C	B1+IL1+B2+IL2+S+MZ+20	69.50 m	Bldg. D	B1+IL1+B2+IL2+S+MZ+20	69.50 m	Bldg. E	B1+IL1+B2+IL2+S+MZ+20	69.50 m
Name of Bldg.	Building Structure	Height of Bldg.																																				
Bldg. A	B+S+MZ+9	35.85 m																																				
Bldg. B	B+P+S+MZ+9	35.85 m																																				
Bldg. C	B1+IL1+B2+IL2+S+MZ+9	35.85 m																																				
Bldg. D	B1+IL1+B2+IL2+S+MZ+9	35.85 m																																				
Bldg. E	B1+IL1+B2+IL2+S+MZ+9	35.85 m																																				
Name of Bldg.	Building Structure	Height of Bldg.																																				
Bldg. A	B+S+MZ+9	35.85 m																																				
Bldg. B	B+P+S+MZ+9	35.85 m																																				
Bldg. C	B1+IL1+B2+IL2+S+MZ+20	69.50 m																																				
Bldg. D	B1+IL1+B2+IL2+S+MZ+20	69.50 m																																				
Bldg. E	B1+IL1+B2+IL2+S+MZ+20	69.50 m																																				
22	Total number of tenements	Commercial Units: 1167 Nos., Expected Users: 6496 Nos.																																				
23	Water Budget	<p>Proposed water budget</p> <table border="1"> <thead> <tr> <th>Particular</th><th>Dry Season</th><th>Wet Season</th></tr> </thead> <tbody> <tr> <td>Fresh Water</td><td>204 KLD</td><td>204 KLD</td></tr> <tr> <td>Recycled (Flushing)</td><td>120 KLD</td><td>120 KLD</td></tr> <tr> <td>Recycled (Landscape)</td><td>8 KLD</td><td>0 KLD</td></tr> <tr> <td>Total</td><td>332 KLD</td><td>324 KLD</td></tr> <tr> <td>Waste water generation</td><td>292 KLD</td><td>292 KLD</td></tr> </tbody> </table>	Particular	Dry Season	Wet Season	Fresh Water	204 KLD	204 KLD	Recycled (Flushing)	120 KLD	120 KLD	Recycled (Landscape)	8 KLD	0 KLD	Total	332 KLD	324 KLD	Waste water generation	292 KLD	292 KLD																		
Particular	Dry Season	Wet Season																																				
Fresh Water	204 KLD	204 KLD																																				
Recycled (Flushing)	120 KLD	120 KLD																																				
Recycled (Landscape)	8 KLD	0 KLD																																				
Total	332 KLD	324 KLD																																				
Waste water generation	292 KLD	292 KLD																																				
24	Water Storage Capacity for Fire Fighting/ UGT	<p>2 No of UGT proposed: Details as follows</p> <p>UGT 1:</p> <ul style="list-style-type: none"> Domestic UG tank Capacity: 63 Cu.M. Fire UG tank Capacity: 300 Cu.M. <p>UGT 2:</p> <ul style="list-style-type: none"> Domestic UG tank Capacity: 245 Cu.M. Fire UG tank Capacity: 300 Cu.M. 																																				
25	Source of Water	Hinjewadi Grampanchayat STP treated water will be reused for flushing & landscape purpose.																																				
26	Rainwater Harvesting (RWH)	<ul style="list-style-type: none"> Level of Ground Water Table: Pre-Monsoon: 8 m to 9 m BGL, Post Monsoon: 3 m to 4 m BGL Size & No. of RWH tanks and Quantity: 2 Nos. (19 Cu.M. & 14 Cu.M.) Quantity and size of recharge pits: 3 Nos of recharge pit 																																				

		2 No of UGT proposed: Details as follows UGT 1: <ul style="list-style-type: none">Domestic UG tank Capacity: 63 Cu.M.Fire UG tank Capacity: 300 Cu.M. UGT 2: <ul style="list-style-type: none">Domestic UG tank Capacity: 245 Cu.M.Fire UG tank Capacity: 300 Cu.M.	
27	Sewage and Wastewater	<ul style="list-style-type: none">Sewage Generation: 292 KLDProposed STP Capacity: 300 KLD CapacitySTP Technology: MBBR	
28	Solid waste management during construction phase		
	Type	Quantity	Treatment/ disposal
	Dry waste	Negligible	Collect & disposed through authorized agency.
	Wet waste	Negligible	Provision of composting
	Construction waste	Top Soil: & Debris	Top soil will be reused for landscape purpose within project site.Excavated debris will be will be reused for backfilling, levelling & plinth filling purpose within project site
29	Solid waste management during operation phase		
	Type	Quantity	Treatment/ disposal
	Dry waste	1153 Kg/day	Will be collected & disposed by authorized agency
	Wet waste	1183 Kg/day	Treated in OWC and used as manure in landscape
	Haz. waste	--	NA
	BMW	--	NA
	E-waste	27 Kg/day	Will be collect & disposed by authorized agency
	STP Sludge	30 Kg/day	Treated in OWC and used as manure in landscape
30	Green Development Belt	<ul style="list-style-type: none">Total Green Area: 1290.14 Sq.M.Existing trees on Plot: 3 Nos.Number of trees to be planted: 137 Nos.Number of trees to be cut: NANumber of trees to be transplanted: NA	
31	Power Requirement	<ul style="list-style-type: none">Source of power supply: MSEDCLDuring Construction Phase (Demand Load): 75 kVADuring Operation Phase (Connected Load): 7897.79 kWDuring Operation Phase (Demand Load): 5211.85 kWTransformer: 13 x 630 kVADG Set: 2 x 500 kVA capacityFuel Used: Diesel	
32	Details of Energy Saving	Total Energy Saving: 22.44 % through proposed use of Solar Energy & Energy saving measures.	
33	Environment Management Plan during Construction phase		
	Sr.	Parameter	Capital (Lakh)
	1	Personnel Protective Equipment	1.60
	2	Site Sanitation Facility	2.70
	3	Water facility	9.10
	4	Solid waste management	1.80
	5	Health Check up	1.0
	6	Awareness to workers or training	2.0
	7	Environmental Monitoring	3.51
	8	Disaster Management	7.36

	TOTAL	29.07			
34	Environment Management Plan Operation phase				
	Sr. No.	Component	Details	Capital (Lakh)	O &M (Lakh/Y)
	1	Storm water	NA	--	--
	2	Sewage Treatment Plant	300 KLD Capacity	33.50	9.32
	3	Water treatment	--	--	--
	4	RWH	3 Nos of Recharge Pits	13.80	0.80
	5	Solid waste mgt.	OWC	24.50	5.0
	6	Hazardous waste	NA	--	--
	7	E-waste	Collection & Disposal through authorized agency	--	--
	8	Landscape	137 No of Trees	13.02	1.15
	9	Energy Saving	22.44 % Energy saving	21.00	10.50
	10	Environment Monitoring	Air, Water, Noise, Soil, STP, DG set, Monitoring	--	3.51
	11	Disaster Management	--	98.70	18.57
		TOTAL		204.52	48.85
35	Traffic Management]				
	Type	Required as per DCR	Actual Provided	Area per Parking	
	4-Wheeler	357 No.	357 No.	12.5 Sq.M.	
	2-Wheeler	985 No.	985 No.	2.0 Sq. M.	
36	Details of Court Cases/ litigations w.r.t. the project and project location if any				NA

The comparative statement for the project as informed by PP is as below:

Sr. No.	Particular	Details Recommended by 114 th SEAC-III meeting	As per EC obtained, 2021	Details for Proposed Expansion	Remarks (Compare to SEAC III recommendation)
1	Total Plot Area	14,325 Sq.M.	14,325 Sq.M.	14,325 Sq.M.	No Change
2	Deductions	3072.8 Sq.M.	3072.8 Sq.M.	3358.83 Sq.M.	Increased by 286.03

					Sq.M.
3	Net plot area	11,252.20 Sq.M.	11,252.20 Sq.M.	10,966.17 Sq.M.	Decreased by 286.03 Sq M
4	Total FSI Area	37,000 Sq.M.	22,504.40 Sq.M.	64,230.78 Sq.M.	Increased by 27,230.78 Sq.M.
5	Total Non FSI Area	25,051.79 Sq.M.	20,763.90 Sq.M.	26,271.39 Sq.M.	Increased by 1219.60 Sq M
6	Total Built up Area	62,051.79 Sq.M.	43,268.30 Sq.M.	90,502.17 Sq.M.	Increased by 28,450.38 Sq M
7	Buildings & Configuration	Total 5 Nos. of Structures Bldg. A : B+S+MZ+9 Bldg. B : B+P+S+MZ+9 Bldg. C : B1+IL1+B2+IL2+S+MZ+9 Bldg. D : B1+IL1+B2+IL2+S+MZ+9 Bldg. E : B1+IL1+B2+IL2+S+MZ+9	Total 5 Nos. of Structures Bldg. A : B+S+MZ+9 (Constructed) Bldg. B : B+P+S+MZ+9 (Constructed) Bldg. C : B1+IL1+B2+IL2+S+MZ+9 (Constructed upto B1+IL1+B2+IL2+S) Bldg. D : B1+IL1+B2+IL2+S+MZ+1 (Constructed upto B1+IL1+B2+IL2+S) Bldg. E : B1+IL1+B2+IL2+S+MZ (Constructed upto B+IL1+B2+IL2+S)	Total 5 Nos. of Structures Bldg. A : B+S+MZ+9 Bldg. B : B+P+S+MZ+9 Bldg. C : B1+IL1+B2+IL2+S+MZ+20 Bldg. D : B1+IL1+B2+IL2+S+MZ+20 Bldg. E : B1+IL1+B2+IL2+S+MZ+20	Addition of vertical 11 floors of Bldg. C, D & E
8	Nos. of Units	Commercial Units: 650 Nos	Commercial Units: 650 Nos	Commercial Units: 1167 Nos	Increased by 517

					Units
Sr . No.	Particular	Details Recommended by SEAC-III by 145 th SEAC-III	Details for Proposed Expansion	Remarks (Compare to SEAC III recommendation)	
9	Expected Users	4130 Nos.	6496 Nos.	Increased by 2366 Nos	
10	Parking Details	Parking for 406 Nos of Cars, 840 Nos of Scooters	Parking proposed for 357 Nos. of Cars & 985 Nos of Scooters	Decreased Cars Parking Increased 2 wheeler Parking	
11	Water Requirement	Total: 206.3 KLD	Total: 332 KLD	Increased by 125.3 KLD	
12	Total sewage generation	178.4 KLD	292 KLD	Increased by 113.6 KLD	
13	STP Capacity	180 KLD Capacity with MBBR Technology	300 KLD Capacity with MBBR Technology	Increased by 120 KLD	
14	Solid waste generation	Dry waste: 739 kg/day Wet Waste: 726 kg/day	Dry waste: 1153 Kg/day Wet waste: 1183 Kg/day	Increased	
15	Energy Requirement	Connected Load: 6620 kW Demand Load: 4348 kW Transformer: 7x 630 kVA capacity DG set: 2x 320 kVA capacity	Connected Load: 7897.79 kW Demand Load: 5211.85 kW Transformer: 13x 630 kVA capacity DG set: 2x 500 kVA capacity	Increased Transformers Nos by 6 Nos. & DG Capacity	
16	Energy Saving	13.05%	17.47%	Increased by 4.42%	
17	Landscape details	RG area: 1323.79 Sq.M. Total 141 Nos of Trees proposed	RG area: 1290.14 Sq.M. Total 137 Nos of native trees is proposed	RG are decrease by 33.65 Sq.M. due to change in net plot area.	

3. The proposal has been considered by SEIAA in its 274th meeting held on 8th January,

2024 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to submit copy of IoD.
2. PP to submit revalidated NoCs for Drainage, Water supply, Fire and Garden.
3. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
4. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

1. PP has provided mandatory RG area of 1290.14 m² on mother earth without any construction. Local planning authority to ensure the compliance of the same.
2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
5. SEIAA after deliberation decided to grant EC for-FSI-64,230.78 m², Non FSI-26,271.39 m², total BUA-90,502.17 m². (Plan approval No- Outward no 6452/23-24, dated-24.11.2023)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be

ensured.

- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be

- utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
 - III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
 - IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
 - V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
 - VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
 - VII. PP to provide adequate electric charging points for electric vehicles (EVs).
 - VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
 - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
 - XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on

the website of the Company by the proponent.

- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
- II. If applicable "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Pravin Darade
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, PMRDA
7. Regional Officer, Maharashtra Pollution Control Board, Pune.

